


Section 1: Identification

<p>Manufacturer: Aztec Plumbing, S.A. de C.V. 134 Cuadrados, Arco Vial García, Nuevo León, 66023 Telephone: +52 (81) 8121 0100</p>	<p>Product Name: Plumber's Putty</p>
<p>Recommended Use: Used to make a perfect watertight seal around faucets and drains. It remains soft and flexible; It is water and gas proof and will not harden, shrink, crack or crumble.</p>	

Section 2: Hazard(s) Identification

<p>Hazardous Statement: None</p>	<p>Physical: Flammability: N/A Other: N/A</p>
<p>Health: Toxicity: N/A Skin Corrosion: N/A Eye Irritation: N/A Skin Irritation: N/A</p>	<p>NFPA</p> 
<p>Precautionary: KEEP OUT OF REACH OF CHILDREN</p>	

Section 3: Composition/Information on Ingredients

<p>INGREDIENTS (CAS number) Hydrocarbon Oil (CAS. 64742-52-5) Vegetable Oil (CAS.120962-03-0) Calcium carbonate (CAS. 471-34-1)</p>	<p>This product is not classified as hazardous according to OSHA 1910.1200</p>
--	--

Section 4: First-Aid Measures

<p>Skin: Eyes: Inhalation: Ingestion:</p>	<p>Remove all contaminated clothes or shoes and wash skin with abundant flowing water. Get medical attention if irritation persists. Flush eyes with abundant water for a minimum of 10 minutes and get medical attention. Remove to fresh air. If not breathing, give artificial respiration and get immediate medical attention. Do not induce vomiting. Do not give liquids and get medical attention.</p>
---	---

Section 5: Fire-Fighting Measures

Flammability:	Not applicable
Extinguishing media:	Not applicable
Special Fire Fighting:	None
Specific Hazards:	None

Section 6: Accidental Release Measures

Protective Equipment:	None
Environmental Precautions:	None
Precautions:	Minimize skin contact.

Section 7: Handling and Storage

Handling: No special precautions	Storage: Keep away from heat, store in a well ventilated place and keep container closed when not in use.
--	---

Section 8: Exposure Controls/Personal Protection

OSHA Exposure Limits:	This product is not classified as hazardous according to OSHA 1910.1200	
Personal Protective Equipment:	Respiratory Protection:	Non Required
	Skin Protection:	Wash hands after every use
	Eyes Protection:	Non Required
Engineering Controls:	Eyewash and safety shower should be available.	

Section 9: Physical and Chemical Properties

Appearance:	Putty
Color	Beige
Boiling Point:	N/A
Melting Point:	N/A
Vapor Pressure:	N/A
Vapor Density:	N/A
Volatile components:	N/A
Viscosity:	N/A
Solubility in water:	Insoluble
pH:	Not determined
Specific Gravity:	2.13
Evaporation Rate:	Not determined

Section 10: Stability and Reactivity

Stability:	Stable
Conditions to avoid:	None
Hazardous Decomposition Products:	Oxides of Carbon
Incompatible Materials:	None
Hazardous Polymerization:	Will not occur

Section 11: Toxicological Information

Inhalation:	Prolonged exposure to vapors can cause irritation of the respiratory tract
Skin Contact:	Prolonged exposure may cause irritation and/or dermatitis
Eye Contact:	Causes eye irritation
Ingestion:	May cause gastrointestinal irritation, nausea, vomiting and/or diarrhea
Toxicity Data:	None
Long Term Effects:	None

Section 12: Ecological Information

Toxicity on aquatic and/or Terrestrial organisms:	None
Persistence and Degradability:	None
Bio accumulative Potential:	None
Mobility in Soil:	None
Other Adverse Effects:	None

Section 13: Disposal Considerations

Dispose the residues in accordance with federal, state and local regulations.

Section 14: Transport Information

D.O.T.	
Proper Shipping Name:	N/A
Hazard Class/Packing Group:	N/A
UN/NA Number:	N/A
Hazard Labels:	N/A

Section 15: Regulatory Information

This product does not contain any regulated chemicals.

Section 16: Other Information

Disclaimer: This Material Safety Data Sheet was designed to give the distributors and users of Aztec Plumbing – Plumber's Putty information to handle and use the product in a responsible manner. However, Aztec Plumbing cannot give any guarantees regarding information from other sources.